
MailGun V3 Documentation

Release 0.3.0

Martin Majlis

Jun 27, 2019

Contents

1	Changelog	3
1.1	0.2	3
1.2	0.1	3
2	API	5
3	Installation	7
4	Usage	9
5	External Links	11

This package provides fluent API for [MailGun API](#).

CHAPTER 1

Changelog

1.1 0.2

- Playing with documentation

1.2 0.1

- Initial commit

CHAPTER 2

API

CHAPTER 3

Installation

```
pip install mailgunv3
```


CHAPTER 4

Usage

```
domain = 'example.com'

mg = MailGunV3(domain,
                 'key-asdfghjkl',
                 'pubkey-asdfghjkl')

res1 = (mg.
        mailinglist('mlA-{}@{}'.format(random.randint(0, 10), domain)).
        create('Test Mailing List').
        delete())
print(repr(res1))

res2 = (mg.
        mailinglist('mlB-{}@{}'.format(random.randint(0, 10), domain)).
        create('Test Mailing List').
        update(
            name='New Name',
            description='New Description').
        get())
print(repr(res2))

res3 = (mg.
        mailinglist('newsletter-dev@' + domain).
        members())
print(repr(res3))

res4 = (mg.
        mailinglist('newsletter-dev@' + domain).
        member('a01-{}@{}'.format(random.randint(0, 1000), domain)).
        create(
            name='Foo Bar',
            params={'a': 1, 'b': 2}).
        get())
print(repr(res4))
```

(continues on next page)

(continued from previous page)

```
res5 = (mg.
    mailinglist('newsletter-dev@' + domain).
    member('a01-{}@{}'.format(random.randint(0, 1000), domain)).
    update(
        name='Foo Bar - EDIT',
        params={'a': 1, 'b': 2}).
    get())
print(repr(res5))

res6 = (mg.
    mailinglist('newsletter-dev@' + domain).
    members())
print(repr(res6))

res7 = (mg.
    mailinglist('newsletter-dev@' + domain).
    member('a01@' + domain).
    delete())
print(repr(res7))
```

CHAPTER 5

External Links

- GitHub
- PyPi
- Travis
- ReadTheDocs